


Elementi opće namjene



Provjerena kvaliteta




1. Karabiner vatrogasni Firemans-carabine link




Br. artikla Art. No.	Ng ns	Dimenzije prema slici Measurements according to figure			Nosivost WLL
		d ₂	l	m	
		mm	mm	mm	t
3130606 V	60 x 6	6	60	8	0,120
3130707 V	70 x 7	7	70	8	0,180
3130808 V	80 x 8	8	80	9	0,230
3131001 V	100 x 10	10	100	11	0,350
3131201 V	120 x 11	11	120	16	0,450

2. Karabiner vatrogasni s maticom Firemans carabine with coil



Br. artikla Art. No.	Ng ns	Dimenzije prema slici Measurements according to figure					Novnost WLL
		d ₁	d ₂	f	l	m	
		mm	mm	mm	mm	mm	t
3120606 V	60 x 6	6	9	5	60	8	0,120
3120707 V	70 x 7	7	10	8	70	8	0,180
3120808 V	80 x 8	8	10	8	80	9	0,230
3121001 V	100 x 10	10	15	10	100	11	0,350
3121201 V	120 x 11	11	18	11	120	16	0,450
3121401 V	140 x 12	12	20	13	140	19	0,510


3. Karabiner vatrogasni s okom Carabine hook with eyelet



Br. artikla Art. No.	Ng ns	Dimenzije prema slici Measurements according to figure					Novnost WLL
		d ₁	d ₂	f	l	m	
		mm	mm	mm	mm	mm	t
3120606 V	60 x 6	6	9	5	60	8	0,120
3120707 V	70 x 7	7	10	8	70	8	0,180
3120808 V	80 x 8	8	10	8	80	9	0,230
3121001 V	100 x 10	10	15	10	100	11	0,350
3121201 V	120 x 11	11	18	11	120	16	0,450
3121401 V	140 x 12	12	20	13	140	19	0,510

4. Brza spojnica

Quick connecting link



Br. artikla Art. No.	Dimenzije prema slici (mm) Measurements according to figure (mm)						Nosivost (kg) WLL(kg)
	d	c	e	l	h	b	
1800031 V	3,5	2,0	11,0	29,0	10,0	5,0	50
1800041 V	4	2,5	12,5	31,5	11,5	5,5	90
1800051 V	5	3,0	16,0	39,5	13,0	6,5	140
1800061 V	6	4,0	19,0	45,0	14,5	7,5	200
1800071 V	7	5,0	21,5	52,0	16,0	8,5	275
1800081 V	8	5,5	24,0	58,0	17,5	11,0	350
1800091 V	9	6,0	26,0	62,0	19,0	11,0	450
1800101 V	10	7,0	29,0	69,0	20,5	12,0	550
1800121 V	12	8,5	33,0	80,5	23,5	15,0	750
1800141 V	14	9,5	38,5	93,0	26,5	17,0	1100

Br. artikla Art. No.	Dimenzije prema slici (mm) Measurements according to figure (mm)						Nosivost (kg) WLL(kg)
	d	c	e	l	h	b	
1800032 V	3,5	2,0	16,0	39,0	10,0	5,0	500
1800042 V	4	2,5	19,0	45,0	11,5	5,5	900
1800052 V	5	3,0	22,0	52,0	13,0	6,5	1400
1800062 V	6	4,0	25,0	58,5	14,5	7,5	2000
1800072 V	7	5,0	28,0	65,0	16,0	8,5	2750
1800082 V	8	5,5	31,5	72,0	17,5	11,0	3500
1800092 V	9	6,0	33,0	77,0	19,0	11,0	4500
1800102 V	10	7,0	36,0	85,5	20,5	12,0	5500
1800122 V	12	8,5	43,0	100,0	23,5	15,0	7500
1800142 V	14	9,5	49,0	114,0	26,5	17,0	11000

5. Vrtuljak lijevani – karabiner

Carabine hook



Br. artikla Art. No.	Ukupne dužine length	Nutarnji promjer prstena inside-Ø ring
2741050 V	50	10
2741075 V	75	10
2741275 V	75	12
2741678 V	78	16
2742082 V	82	20
2742110 V	110	32

6. Vrtuljak lijevani – kuka

Carabine hook



Br. artikla	Veličina (mm)	O.L. (mm)	Težina (kg/100kom.)
RL13-1101	15.875	85	4.80
RL13-1102	19.05	88	5.20
RL13-1103	6.35	92	6.00

7. Karika za popravak

Repair link



Br. artikla Art. No.	Veličina Size(mm)	O.L. (mm)	Težina N.W.(kg/100kom.)
RL10-0101	1/8X3/4	19	0.60
RL10-0102	3/16X1	25	1.40
RL10-0103	7/32X1-1/4	32	2.30
RL10-0104	1/4X1-1/4	32	3.00
RL10-0105	1/4X1-1/2	38	3.60
RL10-0106	5/16X1-1/2	38	6.00
RL10-0107	3/8X1-5/8	42	10.00
RL10-0108	3/8X2	50	11.00
RL10-0109	1/2X2-1/2	64	25.50

8. Vijak s prstenom


Ring bolt



Br. artikla Art. No.	Veličina Size(mm)	O.L. mm	Veličina prstena Ring size(mm)	Težina N.W.(kg)
RL10-1201	7,937	113	7x50	0.13

9. Kuka S


S - hook



Br. artikla Art. No.	Dimenzije prema crtežu(mm) Measurements according to figure(mm)			Nosivost(t) WLL(t)
	d	l	m	t
73103027	3	25	3,5	0,040
73104040	4	35	4,0	0,060
73105040	5	45	5,0	0,080
73106050	6	55	6,0	0,100
73107065	7	65	8,0	0,200
73108070	8	75	9,5	0,300


10. Karabiner – opružni

Simplex carabine hook



Br. artikla Art. No.	Dimenzije prema crtežu(mm) Measurements according to figure(mm)		
	l	m	d ₁
2850025 V	25	3,5	5,5
2850030 V	30	4,5	6,0
2850035 V	35	5,0	6,5
2850040 V	40	5,5	7,0
2850045 V	45	6,0	8,0
2850050 V	50	6,5	9,0
2850060 V	60	7,5	10,0
2850070 V	70	9,0	11,0
2850080 V	80	10,0	12,0

11. Prsten ZN



Prsten ZN Round ring	Težina Weight
O 4x27	0,000940 kg/kom
O 5x33	0,0180 kg/kom
O 6x35	0,030 kg/kom
O 7x41	0,050 kg/kom
O 8x45	0,080 kg/kom
O 10x50	0,11880 kg/kom

12. Vijak za drvo s prstenom


Ring bolt



Br. artikla Art. No.	Veličina(inch) Size(mm)	O.L.(mm) O.L.(mm)	Veličina prstena(mm) Ring size(mm)	Težina(kg) N.W.(kg)
RL10-1101	7,937	90	7x50	0,13

13. Vijak okasti DIN 580


Eye coil DIN 580



Br. artikla Art. No.	Dimenzije prema crtežu(mm) Measurements according to figure(mm)							Nosivost WLL2* WLL1*	
	d ₁	d ₂	d ₃	d ₄	h	k	l	t	t
66000120.1 ² M 12 x 1,5	30	54	30	53	12	20,5	0,240	0,360	
66000160.1 ² M 16 x 1,5	35	63	35	62	14	27,0	0,500	0,700	
66000200.1 M 20 x 2	40	72	40	71	16	30,0	0,830	1,200	
66000240.1 M 24 x 2	50	90	50	90	20	36,0	1,270	1,800	
66000300.1 M 30 x 2	65	108	60	109	24	45,0	2,600	3,600	
66000360.1 M 36 x 3	75	126	70	128	28	54,0	3,700	5,100	
66000420.1 M 42 x 3	85	144	80	147	32	63,0	5,000	7,000	
66000480.1 M 48 x 3	100	166	90	168	38	68,0	6,100	8,600	
66000560.1 M 56 x 4	110	184	100	187	42	78,0	8,300	11,500	
66000640.1 M 64 x 4	120	206	110	208	48	90,0	11,000	16,000	
66000720.1 M 72 x 4	150	260	140	260	60	100,0	15,000	21,000	
66000800.1 M 80 x 4	170	296	160	298	68	112,0	20,000	28,000	
66001000.1 M 100 x 4	190	330	180	330	75	130,0	27,000	38,000	

14. Matica okasta DIN 582


Eye nut DIN582



Br. artikla Art. No.	Dimenzije prema crtežu(mm) Measurements according to figure(mm)						Nosivost WLL2* WLL1*	
	d ₁	d ₂	d ₃	d ₄	h	k	t	t
67000120.1 ² M 12 x 1,5	30	54	30	53	12		0,240	0,360
67000160.1 ² M 16 x 1,5	35	63	35	62	14		0,500	0,700
67000200.1 M 20 x 2	40	72	40	71	16		0,830	1,200
67000240.1 M 24 x 2	50	90	50	90	20		1,270	1,800
67000300.1 M 30 x 2	65	108	60	109	24		2,600	3,600
67000360.1 M 36 x 3	75	126	70	128	28		3,700	5,100
67000420.1 M 42 x 3	85	144	80	147	32		5,000	7,000
67000480.1 M 48 x 3	100	166	90	168	38		6,100	8,600
67000560.1 M 56 x 4	110	184	100	187	42		8,300	11,500
67000640.1 M 64 x 4	120	206	110	208	48		11,000	16,000
67000720.1 M 72 x 4	150	260	140	260	60		15,000	21,000
67000800.1 M 80 x 4	170	296	160	298	68		20,000	28,000
67001000.1 M 100 x 4	190	330	180	330	75		27,000	38,000

15. Vijak natezni

Turnbuckle



kuka-oko

hook-eye

Br. artikla Art. No.	Dimenzije prema slici(mm) measurements according to figure(mm)							Oznaka
	d ₁	l ₁	d ₃	b	l ₂	l ₃	l ₄	
91011300	M 5	70	8	9	53	58	120-165	45
91011400	M 6	110	10	10	85	80	172-252	80
91025160	M 8	110	11	11	85	84	182-257	75
91033800	M10	125	12	12	112	105	213-298	85
91041200	M12	125	14	14	117	115	238-318	80
91055800	M16	170	16	16	138	165	320-430	110

kuka-kuka

hook-hook

Br. artikla Art. No.	Dimenzije prema slici(mm) measurements according to figure(mm)					Oznaka
	d ₁	l ₁	b	l ₂	l ₃	
91011302	M 5	70	9	53	120-165	45
91011402	M 6	110	10	85	180-260	80
91025162	M 8	110	11	85	195-270	75
91033802	M10	125	12	112	230-315	85
91041202	M12	125	14	117	250-330	80
91055802	M16	170	16	138	320-430	110


oko-oko

eye-eye

Br. artikla Art. No.	Dimenzije prema slici(mm) measurements according to figure(mm)					Oznaka
	d ₁	l ₁	d ₃	l ₂	l ₃	
91011301	M 5	70	8	58	120-165	45
91011401	M 6	110	10	80	167-247	80
91025161	M 8	110	11	84	179-254	75
91033801	M10	125	12	105	210-295	85
91041201	M12	125	14	115	230-310	80
91055801	M16	170	16	165	330-440	110

16. Jezgra užeta po DIN 6899


Steel thimble after DIN 6899



Br. artikla Art. No.	uže - Ø rope - Ø	Dimenzije prema slici Measurements according to figure		
		širina jezgre(a) switch opening (a)	dužina (l) length (l)	nutarnja širina (c) inside width (c)
		mm	mm	mm
20000300	2,5	3	19	12
20000400	3,5	4	21	13
20000500	4,0	5	23	14
20000600	5,0	6	25	16
20000700	6,0	7	28	18
20000800	7,0	8	32	20
20001000	9,0	10	38	24
20001200	11,0	12	45	28
20001300	12,0	13	48	30
20001400	13,0	14	51	32
20001600	15,0	16	58	36
20001800	16,0	18	64	40
20002000	18,0	20	72	45
20002200	20,0	22	80	50
20002400	22,0	24	90	56
20002600	24,0	26	99	62
20002800	26,0	28	112	70
20003000	28,0	30	120	75
20003200	30,0	32	128	80
20003400	32,0	34	152	95
20003600	34,0	36	160	100
20003800	36,0	38	176	110

17. Škopac DIN 82101, oblika A

Shackle DIN 82101, form A




Br. artikla Art. No.	Ng ns	Dimenzije prema slici Measurements according to figure						Nosivost WLL
		b ₁	b ₂	d ₁	d ₃	d ₄	h ₁	
		mm	mm	mm	mm	mm	mm	t
0100010 V	0,10	7	15	4	10	5	15,5	
0100016 V	0,16	8	18	5	12	6	18,0	0,160
0100025 V	0,25	11	25	7	16	8	24,0	0,250
0100040 V	0,40	14	30	8	20	10	30,0	0,400
0100060 V	0,60	17	37	10	24	12	36,0	0,630
0100100 V	1,00	21	47	12	32	16	49,0	1,000
0100160 V	1,60	27	61	16	40	20	61,0	1,600
0100200 V	2,00	30	68	20	44	22	67,0	2,000
0100250 V	2,50	33	75	22	48	24	73,0	2,500
0100300 V	3,00	38	86	24	54	27	83,5	3,150
0100400 V	4,00	42	96	27	60	30	91,0	4,000
0100500 V	5,00	47	107	30	72	36	111,0	5,000



18. Škopac DIN 82101, oblika C

Shackle DIN 82101, form C




Br. artikla Art. No.	Ng ns	Dimenzije prema slici Measurements according to figure						Nosivost WLL
		b ₁	b ₂	d ₁	d ₃	d ₄	h ₁	
		mm	mm	mm	mm	mm	mm	t
0300100 V	1,0	21	47	13	32	16	49,0	1,000
0300160 V	1,6	27	61	17	40	20	61,0	1,600
0300200 V	2,0	30	68	19	44	22	67,0	2,000
0300250 V	2,5	33	75	21	48	24	73,0	2,500
0300300 V	3,0	38	86	24	54	27	83,5	3,150
0300400 V	4,0	42	96	27	60	30	91,0	4,000
0300500 V	5,0	47	107	30	72	36	111,0	5,000



19. Škopac visokootporni - oblika A


High tensile DEE shackle - form A



Br. artikla Art. No.	Ng ns	Dimenzije prema slici Measurements according to figure						Nosivost WLL
		b ₁	b ₂	d ₁	d ₃	d ₄	h ₁	
		mm	mm	mm	mm	mm	mm	t
14011401	1/4"	12	26	6	17	8	22	0,500
14015161	5/16"	13	29	8	21	10	26	0,750
14023801	3/8"	16	36	10	26	12	31	1,000
14037161	7/16"	18	40	11	28	14	36	1,500
14041201	1/2"	21	47	13	30	16	41	2,000
14055801	5/8"	27	59	16	42	20	51	3,250
14063401	3/4"	32	70	19	48	22	60	4,750
14077801	7/8"	36	80	22	57	27	71	6,500
14081001	1"	43	93	25	62	28	81	8,500
14091181	1 1/8"	46	104	29	69	33	90	9,500
14101141	1 1/4"	52	116	32	78	36	100	12,000
14111381	1 3/8"	57	127	35	86	39	113	13,500
14121121	1 1/2"	60	136	38	94	42	124	17,000
14131341	1 3/4"	73	161	44	112	52	146	25,000
14142001	2"	83	185	51	135	60	171	35,000
14152121	2 1/2"	106	232	63	158	72	203	55,000


20. Škopac visokootporni s maticom i osiguralom - oblika C

High tensile DEE shackle with nut and safety latch - form C




Br. artikla Art. No.	Ng ns	Dimenzije prema slici Measurements according to figure						Nosivost WLL
		b ₁	b ₂	d ₁	d ₃	d ₄	h ₁	
		mm	mm	mm	mm	mm	mm	t
14011403	1/4"	12	26	6	17	8	22	0,500
14015163	5/16"	13	29	8	21	10	26	0,750
14023803	3/8"	16	36	10	26	12	31	1,000
14037163	7/16"	18	40	11	28	14	36	1,500
14041203	1/2"	21	47	13	30	16	41	2,000
14055803	5/8"	27	59	16	42	19	51	3,250
14063403	3/4"	32	70	19	48	22	60	4,750
14077803	7/8"	36	80	22	57	25	71	6,500
14081003	1"	43	93	25	62	28	81	8,500
14091183	1 1/8"	46	104	29	69	32	90	9,500
14101143	1 1/4"	52	116	32	78	35	100	12,000
14111383	1 3/8"	57	127	35	86	38	113	13,500
14121123	1 1/2"	60	136	38	94	42	124	17,000
14131343	1 3/4"	73	161	44	112	50	146	25,000
14142003	2"	83	185	51	127	55	171	35,000
14152123	2 1/2"	105	232	64	152	70	203	55,000
14163003	3"	127	279	76	200	82	216	85,000
14173123	3 1/2"	133	317	89	203	95	253	120,000
14184003	4"	140	348	102	226	107	250	150,000

21. Škopac visokootporni trbušasti - oblika A High tensile BOW shackle - form A




Br. artikla Art. No.	Ng ns	Dimenzije prema slici Measurements according to figure							Nosivost WLL
		b ₁	b ₂	b ₃	d ₁	d ₃	d ₄	h ₁	t
14011402	1/4"	12	25	19	6	17	8	28	0,500
14015162	5/16"	13	29	21	8	21	10	31	0,750
14023802	3/8"	16	36	26	10	26	12	36	1,000
14037162	7/16"	18	40	29	11	28	14	42	1,500
14041202	1/2"	21	47	33	13	30	16	48	2,000
14055802	5/8"	27	59	43	16	42	20	60	3,250
14063402	3/4"	32	70	51	19	48	22	71	4,750
14077802	7/8"	36	80	58	22	57	27	84	6,500
14081002	1"	43	93	68	25	62	28	95	8,500
14091182	1 1/8"	46	104	74	29	69	33	103	9,500
14101142	1 1/4"	52	116	82	32	78	36	119	12,000
14111382	1 3/8"	57	127	92	35	86	39	133	13,500
14121122	1 1/2"	60	136	98	38	94	42	146	17,000
14131342	1 3/4"	73	161	127	44	112	52	178	25,000
14142002	2"	83	185	146	51	135	60	197	35,000
14152122	2 1/2"	106	232	184	63	158	72	267	55,000

22. Škopac visokootporni trbušasti s maticom i osigurlom - oblika C High tensile BOW shackle with nut and safety latch - form C



Br. artikla Art. No.	Ng ns	Dimenzije prema slici Measurements according to figure							Nosivost WLL
		b ₁	b ₂	b ₃	d ₁	d ₃	d ₄	h ₁	t
14011404	1/4"	12	25	19	6	17	8	28	0,500
14015164	5/16"	13	29	21	8	21	10	31	0,750
14023804	3/8"	16	36	26	10	26	12	36	1,000
14037164	7/16"	18	40	29	11	28	14	42	1,500
14041204	1/2"	21	47	33	13	30	16	48	2,000
14055804	5/8"	27	59	43	16	42	20	60	3,250
14063404	3/4"	32	70	51	19	48	22	71	4,750
14077804	7/8"	36	80	58	22	57	27	84	6,500
14081004	1"	43	93	68	25	62	28	95	8,500
14091184	1 1/8"	46	104	74	29	69	33	109	9,500
14101144	1 1/4"	52	116	82	32	78	36	119	12,000
14111384	1 3/8"	57	127	92	35	86	39	133	13,500
14121124	1 1/2"	60	136	98	38	94	42	146	17,000
14131344	1 3/4"	73	161	127	44	112	52	178	25,000
14142004	2"	83	185	146	51	127	55	197	35,000
14152124	2 1/2"	105	232	184	64	152	70	267	55,000
14163004	3"	127	279	200	76	200	82	330	85,000
14173124	3 1/2"	137	321	232	92	220	95	374	120,000
14184004	4"	145	353	250	104	240	108	372	150,000

23. Stezaljka užeta DIN 741 Malleable wire rope clip DIN 741



Br. artikla Art. No.	Ng ns	uže - Ø rope - Ø	Dimenzije prema slici Measurements according to figure		
			d ₁	h ₁	a
			mm	mm	mm
21011800	1/8"	3,0	M 4	20	9
21023160	3/16"	5,0	M 5	24	11
21031400	1/4"	6,5	M 5	28	13
21045160	5/16"	8,0	M 6	34	16
21053800	3/8"	9,5	M 8	42	19
21067160	7/16"	11,0	M 8	44	20
21071200	1/2"	13,0	M 10	55	24
21089160	5/8"	14,0	M 10	57	25
21095800	3/4"	16,0	M 12	63	29
21103400	7/8"	19,0	M 12	75	32
21117800	1"	22,0	M 14	85	37
21121000	1 1/8"	26,0	M 14	95	41
21131180	1 1/4"	30,0	M 16	110	48
21141140	1 3/8"	34,0	M 16	120	52
21151120	1 1/2"	40,0	M 16	140	58
21161340	1 3/4"	45,0	M 18	165	65
21172000	2"	50,0	M 20	170	72

24. Osiguralo beta Hair pin



Br. artikla	Veličina (mm)	težina (kg)
RL10-0901	50,8	0,25
RL10-0902	63,5	0,40
RL10-0903	76,2	0,60
RL10-0904	93,98	1,10
RL10-0905	101,6	1,95
RL10-0906	127	2,50
RL10-0907	152,4	2,80


25. Preklopni osigurač



Preklopni osigurač	Bolcna a mm	Prsten b mm	Unutarnja širina prstena c mm	Dužina bolcne d mm	Težina kg/100 kom
27551	4.5	3.4	34	42	2
27552	6	3.4	41	42	2.8
27553	7	3.4	41	42	3
27554	8	3.4	41	42	3.5
27555	9	3.4	41	42	3.8
27556	10	3.4	41	42	4.4
27557	11	3.4	41	42	4.6

26. Spojnica aluminijaska EN 13411-3

Aluminium sleeve EN 13411-3



Br. artikla Art. No.	Br. spojnice Press Clip No.	Dimenzije prema slici Measurements according to figure			
		a	b	l	s
		mm	mm	mm	mm
23000100	1,0	1,2	2,4	5	0,65
23000150	1,5	1,7	3,4	6	0,75
23000200	2,0	2,4	4,8	7	0,85
23000250	2,5	2,7	5,4	9	1,05
23000300	3,0	3,3	6,6	11	1,25
23000400	4,0	4,4	8,8	14	1,70
23000450	4,5	4,9	9,8	16	1,90
23000500	5,0	5,5	11,0	18	2,10
23000600	6,0	6,6	13,2	21	2,50
23000650	6,5	7,2	14,4	23	2,70
23000700	7,0	7,8	15,6	25	2,90
23000800	8,0	8,8	17,6	28	3,30
23000900	9,0	9,9	19,8	32	3,70
23001000	10,0	10,9	21,8	35	4,10
23001100	11,0	12,1	24,2	39	4,50
23001200	12,0	13,2	26,4	42	4,90
23001300	13,0	14,2	28,4	46	5,40
23001400	14,0	15,3	30,6	49	5,80
23001600	16,0	17,5	35,0	56	6,70
23001800	18,0	19,6	39,2	63	7,60
23002000	20,0	21,7	43,4	70	8,40
23002200	22,0	24,3	48,6	77	9,20
23002400	24,0	26,4	52,8	84	10,00
23002600	26,0	28,5	57,0	91	10,90
23002800	28,0	31,0	62,0	98	11,70
23003200	32,0	35,2	70,4	112	13,40
23003600	36,0	39,8	79,6	126	15,00
23004000	40,0	44,0	88,0	140	16,60
23004400	44,0	48,4	96,8	154	18,30
23004800	48,0	52,8	105,6	168	20,00
23005200	52,0	57,2	114,4	182	21,60
23005600	56,0	61,5	123,2	196	23,30
23006000	60,0	66,0	132,0	210	25,00